

# YDPU8.E319303 - Tubing, Extruded Insulating Certified for Canada - Component

## Tubing, Extruded Insulating Certified for Canada - Component

[See General Information for Tubing, Extruded Insulating Certified for Canada - Component](#)

**DUNBAR PRODUCTS L L C**  
 1302 Champion Cir  
 Carrollton, TX 75006-6803 USA

E319303

Cat. No.	Max V rms	Max Oper Temp, °C	Color Recognized	Oil-resistance Class[a]	VW-1 Rated[b]
<b>Flexible heat shrinkable Polyolefin tubing</b>					
<b>DUNBAR-1605</b>	600	105	All except clear	-	Yes
<b>DUNBAR-1605G</b>	600	105	All except clear	-	Yes
<b>DUNBAR-1625</b>	600	125	All except clear	-	Yes
<b>DUNBAR-1625G</b>	600	125	All except clear	-	Yes
<b>DUNBAR-1625GT</b>	300	125	All except clear	-	Yes
<b>DUNBAR-1625LT</b>	600	125	All except clear	-	Yes
<b>DUNBAR-1625T</b>	150	125	All except clear	-	Yes
<b>DUNBAR-1635F</b>	600	125	All except clear	-	Yes
<b>DUNBAR-1635F</b>	-	-	-	-	No
<b>DUNBAR-1635S</b>	-	-	-	-	No
<b>Rigid, heat shrinkable PVF2 tubing</b>					
<b>DUNBAR-1675, DUNBAR-3675, DUNBAR-1650F</b>	600	150	All including clear	-	Yes
<b>Flexible heat shrinkable Polyolefin tubing</b>					
<b>DUNBAR-3635</b>	600	125	All except clear	-	Yes
<b>DUNBAR-3635</b>	-	-	-	-	No
<b>DUNBAR-4635</b>	-	-	-	-	No
<b>Heat shrinkable Polyolefin tubing with meltable liner</b>					
<b>DUNBAR-CATV</b>	600	125	All except clear	-	Yes
<b>DUNBAR-CHWT</b>	600	125	All except clear	-	Yes

<b>DUNBAR-CMWT</b>	600	125	All except clear	-	Yes
<b>DUNBAR-DC-HW</b>	600	125	All except clear	-	Yes
<b>DUNBAR-DC-MW</b>	600	125	All except clear	-	Yes
<b>Flexible heat shrinkable Polyolefin tubing</b>					
<b>DUNBAR-DC-XXXX[a]</b>	600	125	All except clear	-	Yes
<b>Heat shrinkable Polyolefin tubing with meltable liner</b>					
<b>DUNBAR-DC-XXXXA[a]</b>	600	125	All except clear	-	Yes
<b>DUNBAR-DC-XXXXW[a]</b>	600	125	All except clear	-	Yes
<b>Not heat shrinkable Polyolefin tubing</b>					
<b>DUNBAR-FEIT</b>	600	105	Gray	-	Yes
<b>Flexible heat shrinkable Polyolefin tubing</b>					
<b>DUNBAR-FFF</b>	600	125	All except clear	-	Yes
<b>Flexible heat-shrinkable cross-linked modified Fluoropolymer tubing</b>					
<b>DUNBAR-FK150</b>	600	150	Black or Clear	-	Yes
<b>Heat shrinkable Polyolefin tubing with meltable liner</b>					
<b>DUNBAR-PHWT</b>	600	125	All except clear	-	Yes
<b>Flexible heat shrinkable Polyolefin tubing</b>					
<b>DUNBAR-PHWT-FR, DUNBAR-CHWT-FR</b>	600	125	All except clear	-	Yes
<b>Heat shrinkable Polyolefin tubing with meltable liner</b>					
<b>DUNBAR-PMWT</b>	600	125	All except clear	-	Yes
<b>Flexible heat shrinkable Polyolefin tubing</b>					
<b>DUNBAR-PMWT-FR, DUNBAR-CMWT-FR</b>	600	125	All except clear	-	Yes
<b>Not heat shrinkable PTFE tubing</b>					
<b>DUNBAR-PTFE</b>	600	200	NT	-	Yes
<b>Flexible heat shrinkable Polyolefin tubing</b>					
<b>DUNBAR-QPL</b>	-	-	-	-	No
<b>Heat shrinkable Polyolefin tubing with meltable liner</b>					
<b>DUNBAR-QPL-HW</b>	600	125	All except clear	-	Yes
<b>DUNBAR-QPL-MW</b>	600	125	All except clear	-	Yes
<b>DUNBAR-QPL-XXXXA[a]</b>	600	125	All except clear	-	Yes
<b>DUNBAR-QPL-XXXXW[a]</b>	600	125	All except clear	-	Yes

<b>Not heat shrinkable PVC tubing</b>					
<b>DUNBAR-VIT-300</b>	300	105	All including clear	-	Yes
<b>DUNBAR-VIT-600</b>	600	105	All including clear	-	Yes
<b>Heat shrinkable Polyolefin tubing with meltable liner</b>					
<b>DUNBAR-XXXXA[a]</b>	600	125	All except clear	-	Yes
<b>Flexible heat shrinkable Polyolefin tubing</b>					
<b>DUNBAR-XXXXT[a]</b>	300	125	All except clear	-	Yes
<b>Heat shrinkable Polyolefin tubing with meltable liner</b>					
<b>DUNBAR-XXXXW[a]</b>	600	125	All except clear	-	Yes
<b>DUNBAR-XXXXWS[a]</b>	600	125	All except clear	-	Yes
<b>DUNBAR-XXXXWT[a]</b>	600	125	All except clear	-	Yes

[a] - Tubing is considered to comply with the optional Oil Resistance requirements only if authorized in the above table and marked "Oil Resistant" (or "Oil Res"), followed by the class (01, 02 or 03).

[b] - Tubing is considered to comply with the optional VW-1 flammability requirements only if authorized in the above table and if so marked.

[a] - Where XXXX is any combination of 1-6 alpha/numeric characters

Marking: Company name or tradename "E319303" or trademark  , catalog designation, inside diameter (before and after recovery for heat-shrinkable tubing), voltage rating, temperature rating in degrees celsius, date of manufacture (or traceable code) and the Recognized Component Mark for Canada,  printed on tags attached to both ends of the tubing or printed on the shipping spool label or smallest unit container in which the product is packaged.

Last Updated on 2017-01-04

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2022 UL LLC"