

YDTU2.E319314 - Miscellaneous Tubing, Polymeric - Component

Miscellaneous Tubing, Polymeric - Component

[See General Information for Miscellaneous Tubing, Polymeric - Component](#)

DUNBAR PRODUCTS L L C
 1302 Champion Cir
 Carrollton, TX 75006-6803 USA

E319314

Cat. No.	Max V rms	Max Oper Temp, °C	Color Recognized	Oil-resistance Class[+]	Flam-mability	Sunlight Resistant
Semi-Rigid heat shrinkable polyolefin tubing with meltable liner						
Dunbar-1625BS	600	105	Blue, Red, Yellow	-	-	-
Flexible, heat shrinkable polyolefin tubing with meltable liner						
Dunbar-1625W	600	125	All except Clear	-	-	-
Dunbar-3635W	600	125	All except Clear	-	-	-
Flexible, heat shrinkable polyolefin tubing						
Dunbar-4635	600	125	All except Clear	-	[1]	-
Semi-Rigid heat shrinkable polyolefin tubing with meltable liner						
Dunbar-4635WS, Dunbar-3625WS	600	125	Black	-	-	-
Flexible, heat shrinkable polyolefin tubing with meltable liner						
Dunbar-4635WT	600	125	All except Clear	-	-	-
Semi-Rigid heat shrinkable polyolefin tubing with meltable liner						
Dunbar-4650WS	600	125	Black	-	[2] (6.5 -7.0 mm recovered ID sizes only)	-
Flexible, not heat shrinkable polyolefin tubing						

Dunbar-EIT-600	600	125	All except Clear	-	[1]	-
-----------------------	-----	-----	------------------	---	-----	---

[+] - Tubing is considered to comply with the optional Oil Resistance requirements only if authorized in the above table and marked "Oil Resistant" (or "Oil Res"), followed by the class (01, 02 or 03).

[1] - Tubing is considered to comply with the optional VW-1 flammability requirements only if it is so marked.

[2] - Tubing is considered to comply with the All-Tubing flame test.

[a] - Tubing is considered to comply with the optional Sunlight Resistance requirements only if marked "Sun Res" (or "Sunlight Resistant").

[b] - Tubing complies with the Sunlight Resistance requirements and is marked "Sun Res" (or "Sunlight Resistant").

Marking: Company name or tradename "E319314" or trademark  , catalog designation, inside diameter (before and after recovery for heat-shrinkable tubing), voltage rating, temperature rating in degrees celsius and date of manufacture (or traceable code) printed on tags attached to both ends of the tubing or printed on the shipping spool label or smallest unit container in which the product is packaged.

Last Updated on 2017-02-16

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2022 UL LLC"