

YDPU2.E319303 - Tubing, Extruded Insulating - Component

Tubing, Extruded Insulating - Component

[See General Information for Tubing, Extruded Insulating - Component](#)

DUNBAR PRODUCTS L L C
 1302 Champion Cir
 Carrollton, TX 75006-6803 USA

E319303

Cat. No.	Max V rms	Max Oper Temp, °C	Color Recognized	Oil-resistance Class[a]	VW-1 Rated[b]
Flexible heat shrinkable Polyolefin tubing					
DUNBAR-1605	600	105	All except clear	-	Yes
DUNBAR-1605G	600	105	All except clear	-	Yes
DUNBAR-1625	600	125	All except clear	-	Yes
DUNBAR-1625G	600	125	All except clear	-	Yes
DUNBAR-1625GT	300	125	All except clear	-	Yes
DUNBAR-1625LT	600	125	All except clear	-	Yes
DUNBAR-1625T	150	125	All except clear	-	Yes
DUNBAR-1635F	600	125	All except clear	-	Yes
DUNBAR-1635F	-	-	-	-	No
DUNBAR-1635S	-	-	-	-	No
Rigid, heat shrinkable PVF2 tubing					
DUNBAR-1675, DUNBAR-3675, DUNBAR-1650F	600	150	All including clear	-	Yes
Flexible heat shrinkable Polyolefin tubing					
DUNBAR-3635	600	125	All except clear	-	Yes
DUNBAR-3635	-	-	-	-	No
DUNBAR-4635	-	-	-	-	No
Heat shrinkable Polyolefin tubing with meltable liner					
DUNBAR-CATV	600	125	All except clear	-	Yes
DUNBAR-CHWT	600	125	All except clear	-	Yes


DUNBAR-CMWT	600	125	All except clear	-	Yes
DUNBAR-DC-HW	600	125	All except clear	-	Yes
DUNBAR-DC-MW	600	125	All except clear	-	Yes
Flexible heat shrinkable Polyolefin tubing					
DUNBAR-DC-XXXX[a]	600	125	All except clear	-	Yes
Heat shrinkable Polyolefin tubing with meltable liner					
DUNBAR-DC-XXXXA[a]	600	125	All except clear	-	Yes
DUNBAR-DC-XXXXW[a]	600	125	All except clear	-	Yes
Not heat shrinkable Polyolefin tubing					
DUNBAR-FEIT	600	105	Gray	-	Yes
Flexible heat shrinkable Polyolefin tubing					
DUNBAR-FFF	600	125	All except clear	-	Yes
Flexible heat-shrinkable cross-linked modified Fluoropolymer tubing					
DUNBAR-FK150	600	150	Black or Clear	-	Yes
Heat shrinkable Polyolefin tubing with meltable liner					
DUNBAR-PHWT	600	125	All except clear	-	Yes
Flexible heat shrinkable Polyolefin tubing					
DUNBAR-PHWT-FR, DUNBAR-CHWT-FR	600	125	All except clear	-	Yes
Heat shrinkable Polyolefin tubing with meltable liner					
DUNBAR-PMWT	600	125	All except clear	-	Yes
Flexible heat shrinkable Polyolefin tubing					
DUNBAR-PMWT-FR, DUNBAR-CMWT-FR	600	125	All except clear	-	Yes
Not heat shrinkable PTFE tubing					
DUNBAR-PTFE	600	200	NT	-	Yes
Flexible heat shrinkable Polyolefin tubing					
DUNBAR-QPL	-	-	-	-	No
Heat shrinkable Polyolefin tubing with meltable liner					
DUNBAR-QPL-HW	600	125	All except clear	-	Yes
DUNBAR-QPL-MW	600	125	All except clear	-	Yes
DUNBAR-QPL-XXXXA[a]	600	125	All except clear	-	Yes
DUNBAR-QPL-XXXXW[a]	600	125	All except clear	-	Yes

Not heat shrinkable PVC tubing					
DUNBAR-VIT-300	300	105	All including clear	-	Yes
DUNBAR-VIT-600	600	105	All including clear	-	Yes
Heat shrinkable Polyolefin tubing with meltable liner					
DUNBAR-XXXXA[a]	600	125	All except clear	-	Yes
Flexible heat shrinkable Polyolefin tubing					
DUNBAR-XXXXT[a]	300	125	All except clear	-	Yes
Heat shrinkable Polyolefin tubing with meltable liner					
DUNBAR-XXXXW[a]	600	125	All except clear	-	Yes
DUNBAR-XXXXWS[a]	600	125	All except clear	-	Yes
DUNBAR-XXXXWT[a]	600	125	All except clear	-	Yes

[a] - Tubing is considered to comply with the optional Oil Resistance requirements only if authorized in the above table and marked "Oil Resistant" (or "Oil Res"), followed by the class (01, 02 or 03).

[b] - Tubing is considered to comply with the optional VW-1 flammability requirements only if authorized in the above table and if so marked.

[a] - Where XXXX is any combination of 1-6 alpha/numeric characters

Marking: Company name or tradename "E319303" or trademark  , catalog designation, inside diameter (before and after recovery for heat-shrinkable tubing), voltage rating, temperature rating in degrees celsius and date of manufacture (or traceable code) printed on tags attached to both ends of the tubing or printed on the shipping spool label or smallest unit container in which the product is packaged.

Last Updated on 2017-01-04

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2022 UL LLC"